2025 PhysicsBowl Exam Constants

Use the following values in determining the answers on this exam. If you use other values in calculating answers, you may obtain values that do not exactly match answer selections found on this exam. You will then need to choose the answer on the test closest to your value.

| | | | 2 |
|-------------------|---------------------------------------|------------------------------|---|
| | acceleration due to gravity | g | $= 10 \ m/s^2$ |
| | gravitational constant | G | $= 6.7 \times 10^{-11} N \cdot m^2 / kg^2$ |
| | mass of the Earth | M_{E} | $= 6.0 \times 10^{24} kg$ |
| | radius of the Earth | R_{E} | $= 6.4 \times 10^6 m$ |
| | atomic mass unit | 1 <i>u</i> | $= 1.7 \ x \ 10^{-27} \ kg$ |
| | electron volt | 1 eV | $=1.6\times10^{-19} J$ |
| | rest mass of electron | m _e | $=9.1\times10^{-31}kg$ |
| | rest mass of proton | m_p | $=1.7 \times 10^{-27} kg$ |
| | elementary charge | е | $= 1.6 \times 10^{-19} C$ |
| | Coulomb's constant | k | $=9.0\times10^9 \ N\cdot m^2/C^2$ |
| | permittivity constant | \mathcal{E}_0 | $= 8.9 \times 10^{-12} C^2 / N \cdot m^2$ |
| | permeability constant | μ_0 | $=4\pi\times10^{-7} T \cdot m/A$ |
| | speed of sound in air $(20^{\circ}C)$ | V _s | $= 340 \ m/s$ |
| | speed of light in vacuum | С | $= 3.0 \times 10^8 \ m/s$ |
| | Planck's constant | h | $= 6.6 \times 10^{-34} \ J \cdot s = 4.14 \times 10^{-15} \ eV \cdot s$ |
| | Boltzmann constant | k _B | $=1.38\times10^{-23} J/K$ |
| | Universal Gas Constant | R | $= 8.21 \times 10^{-2} \frac{L \cdot atm}{mol \cdot K} = 8.31 \frac{J}{mol \cdot K}$ |
| | Avogadro's Number | N_A | $= 6.02 \times 10^{23} mol^{-1}$ |
| | Atmospheric Pressure | P _{atm} | $=1.013\times10^{5}$ Pa |
| Water Properties: | | | |
| | Latent Heat of Vaporization | L_{v} | $=540 \ kcal/kg \ = 2.3 \times 10^6 \ J/kg$ |
| | Latent Heat of Fusion | L_{f} | $=80 \ kcal/kg = 3.3 \times 10^5 \ J/kg$ |
| | Density | $ ho_{\scriptscriptstyle w}$ | $=1.0\times10^{3} kg/m^{3}$ |
| | Specific heat | C _w | =1.0 $kcal/kg \cdot K = 4.2 \times 10^3 J/kg \cdot K$ |
| | Specific heat (ice) | c_i | $= 0.50 \ kcal/kg \cdot K = 2.1 \times 10^3 \ J/kg \cdot K$ |
| | Specific heat (vapor) | c_{v} | $= 0.48 \ kcal/kg \cdot K = 2.0 \times 10^3 \ J/kg \cdot K$ |
| | _ | | |